Google Scholar BETA

commercial removal tv | Search |

Scholar   All articles - Recent articles Results **11 - 20** of about **58,600** for **commercial removal tv**. (0.12 seconds)

Relationship of the extended tau haplotype to tau biochemistry and neuropathology in progressive ... - all 4 versions »
WK Liu, **TV** Le, J Adamson, M Baker, N Cookson, J ... - Annals of Neurology, 2001 - doi.wiley.com
... epitope in the first 11 amino acids of A . After **removal** of paraffin **...** Primary antibodies
were detected with a **commercial** avidin-biotin peroxidase kit (Vector Labs **...**
Cited by 32 - Related Articles - Web Search - BL Direct

Removal and recovery of chromium from plating waste using chemically activated carbon - all 3 versions »
K Muthukumaran, N Balasubramanian, **TV** Ramakrishna - Metal Finishing, 1995 - Elsevier
... by K. Muthukumaran, N. Balasubramanian, and **TV** Ramakrishna, Department **...** The **removal**
of Cr(VI) using acti- vated **...** Zoltek 3 reported that maximum ad- sorption of Cr **...**
Cited by 4 - Related Articles - Web Search - BL Direct

[PS] Logo Detection in Digital Video
T Hargrove - www-prima.inrialpes.fr
... Imagine you tell your computer to record all your favorite **TV** shows, and later you
watch them on your **TV** without any commercials. **... commercial removal** package. **...**
Cited by 6 - Related Articles - View as HTML - Web Search

Scheduling **Commercial** Videotapes in Broadcast Television - all 21 versions »
S Bollapragada, MR Bussieck, S Mallik - Operations Research, 2004 - INFORMS
... 679 Page 2. Bollapragada, Bussieck, and Mallik: Scheduling **Commercial** Videotapes
in Broadcast Television 680 Operations Research 52(5), pp. **...**
Cited by 10 - Related Articles - Web Search - BL Direct

Automatic circuit and method for editing **commercial** messages from television signals - all 7 versions »
HR Johnston, MERV Koombes... - US Patent 4,390,904, 1983 - Google Patents
... to restart the television broadcast signals. timing interval each time another trigger
signal is re- The **removal** or editing of **commercial** messages from **...**
Cited by 9 - Related Articles - Web Search

Heat treatments control extension growth and enhance microbial disinfection of minimally processed ... - all 3 versions »
MI Cantwell, G Hong, **TV** Suslow - HortScience, 2001 - ucce.ucdavis.edu
... MI Cantwell 1 , G. Hong 2 , and **TV** Suslow 3 **...** and (4) extension growth or "telescoping"
after complete stem **removal**. All forms may occur in **commercial** product **...**
Cited by 9 - Related Articles - Web Search - BL Direct

Fabrication and characterization of integrated optical waveguidesin sulfide chalcogenide glasses - all 11 versions »
JF Viens, C Meneghini, A Villeneuve, **TV** Galstian, ... - Lightwave Technology, Journal of, 1999 - ieeexplore.ieee.org
... C. Meneghini, A. Villeneuve, **TV** Galstian, EJ Knystautas **...** by a purification of the

commercial bulk glasses, using distillation to **remove** carbon impurities. **...**
Cited by 54 - Related Articles - Web Search - BL Direct

Speaker Diarisation for Broadcast News - all 9 versions »
SE Tranter, DA Reynolds - ODYSSEY04-The Speaker and Language Recognition Workshop, 2004 - ISCA
... World (PRI TWD); and four are **TV** shows, namely **...** Advert **removal** The advert detection
stage is similar to **...** are then converted into postulated **commercial** breaks by **...**
Cited by 24 - Related Articles - Web Search

Process for making stable sludge-free ammonium polyphosphate fertilizer solutions - all 2 versions »
TV Burns, SO Pierres - US Patent 3,988,140, 1976 - freepatentsonline.com
... in an unfilterable mixture the process of the invention permits crystal growth to
a size which permits effective **removal** by **commercial** filtration systems and **...**
Cited by 7 - Related Articles - Cached - Web Search

Modulation of glial activation by astrocyte-derived protein S100B: differential responses of ... - all 5 versions »
TV Petrova, J Hu, LJ Van Eldik - Brain Research, 2000 - Elsevier
... However, after incubation of S100B with endotoxin-**removal** resin, the NO production
was **...** of BV-2 cells with lipid A and two different **commercial** preparations of **...**
Cited by 41 - Related Articles - Web Search

Key authors: **K Srinivasan** - **N Balasubraman...** - **T Ramakrishna** - **S Babel** - **K Periasamy**

◄ Goooooooooooogle ►
Result Page: **Previous** 1 2 3 4 5 6 7 8 9 10 11   **Next**

| commercial removal tv | Search |

Google Home - About Google - About Google Scholar

Google Scholar BETA

boundary correction timeshift television | Search |

Scholar   All articles - Recent articles Results **1** - **10** of about **686** for **boundary correction timeshift television**. (0.16 seconds)

The use of polymers for model investigations based on dynamic photoelasticity
LK Malyshev - Mechanics of Composite Materials, 1972 - Springer
... isotropie, and homogeneous materials, and the **correction** of these **...** The **boundary**
conditions are self-similar and do not **...** media at vv ; 1 is the **time shift** of the **...**
Related Articles - Web Search

Functional imaging of the monkey brain - all 3 versions »
NK Logothetis, H Guggenberger, S Peled, J Pauls - Nature Neuroscience, 1999 - nature.com
... vertical meridian in macaques coincides with the **boundaries** of areas **...** Optical **corrections**. **...**
480 VGA output was converted (Professional Graphic/TV Converter) to a **...**
Cited by 214 - Related Articles - Web Search - BL Direct

Signal transient improvement device having a delay circuit in which the amount of delay is ... - all 2 versions »
L Doornhein, J Kettenis - US Patent 5,196,736, 1993 - freepatentsonline.com
... to about 800 ns, the maximum **time-shift** desired amounts **...** various circuit elements
of the **correction** circuit have **...** a shift register and the **boundary** between the **...**
Cited by 4 - Related Articles - Cached - Web Search

Robust Plateau Removed Synchronization Techniques for Multiple-antenna OFDM-Based DVB-H Receivers
ZW Zheng, D Huang - Consumer Electronics, IEEE Transactions on, 2007 - ieeexplore.ieee.org
... channel equalization and forward error **correction** (FEC) techniques [1 **...** estimation
(where the symbol **boundary** lies) should be **...** **time shift** which is assumed to be an **...**
Related Articles - Web Search

Elastic constants of borocarbides. New approach to acoustic measurement technique - all 4 versions »
EA Masalitin, F VD, KR Zhekov, AN Zholobenko, TV ... - Low Temperature Physics, 2003 - link.aip.org
... of the equation where is the **time shift** of the **...** where is the reflection coefficient
at the **boundary** (we assume **...** At low damping the **correction** can be rather large **...**
Cited by 4 - Related Articles - Web Search - BL Direct

New semi-empirical approach to handle time-variable **boundary** conditions during sterilisation of non- ... - all 3 versions »
J Noronha, M Hendrickx, A Van Loey, P Tobback - Journal of Food Engineering, 1995 - Elsevier
... iiO numerical solution with apparent time (**time shift**); (iv) numerical **...** and permitting
the on-line **correction** of process **...** Time-variable **boundary** conditions 253 **...**
Cited by 13 - Related Articles - Web Search - BL Direct

Improved method for estimating shear wave reflection data from acquired compressional wave ... - all 3 versions »
TJ Fitch, SJ Laster, NR Goins, RS Spratt - EP Patent 0,309,152, 1992 - freepatentsonline.com
... S waves propagated normal to a reflection **boundary**). **...** data after normalized movement
(NMO) **correction** has been **...** δV is estimated from a **time shift** statistics as **...**
Cached - Web Search

ON THE RENORMALIZED FIELD THEORY OF NONLINEAR CRITICAL RELAXATION
HK JANSSEN - From Phase Transitions to Chaos, Topics in Modern ... - books.google.com
... Note first that, due to the Dirichlet **boundary** condition, the **...** To first order in a
time shift 6, we find using **...** Note that only one **correction** term of order (líl **...**
Cited by 11 - Related Articles - Web Search

[PS] Interaction between cloudiness and radiation Conclusion to Part - all 2 versions »

EM Feigelson - IZVESTIIA-RUSSIAN ACADEMY OF SCIENCES ATMOSPHERIC AND ..., 1994 - eos.wdcb.ru

... on the water content, attitudes of cloud **boundaries**, and by ... to September 25 and 30 because of the **time shift** ... is sug- gested as well as the **correction** of the ...

Related Articles - View as HTML - Web Search - BL Direct

[BOOK] Timeshift: On Video Culture - all 2 versions »

S Cubitt - 1991 - books.google.com

... Wyver.Thanks to Sarah Conibear for her painstaking **correction** of the ... 10 **Timeshift** In most developed countries, the number of [**television**] sets approaches ...

Cited by 49 - Related Articles - Web Search

Key authors: **N Logothetis** - **A Davydov** - **H Guggenberger** - **S Peled** - **J Pauls**

Goooooooooogle ▶

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

boundary correction timeshift televis | Search |

Google Home - About Google - About Google Scholar

©2008 Google

Google Scholar BETA

boundary correction shift audio

Search

Advanced Scholar Search
Scholar Preferences
Scholar Help

Scholar **All articles - Recent articles** Results **1** - **10** of about **16,500** for **boundary correction shift audio**. (**0.40** seconds)

The modulated lapped transform, its time-varying forms, and itsapplications to **audio** coding ... - all 3 versions »
S Shlien - Speech and **Audio** Processing, IEEE Transactions on, 1997 - ieeexplore.ieee.org
... subbands must undergo a frequency inversion **correction** so that ... not missed; however,
the proper time **shift** ensures the ... is to use the above **boundary** filters to ...
Cited by 45 - Related Articles - Web Search - BL Direct

... of the wave-number/phase velocity spectrum of wall pressure beneath a turbulent **boundary** layer - all 4 versions »
JAB Wills - Journal of Fluid Mechanics Digital Archive, 2006 - Cambridge Univ Press
... is used to predict a frequency spectrum **correction** for transducer ... FIGURE 2.
Boundary-layer velocity profile. ... differentiator network, giving a phase **shift** of ...
Cited by 14 - Related Articles - Web Search

Format for recording digital **audio** onto magnetic tape with enhanced editing and error **correction** ... - all 3 versions »
K Barr, A Zak, M Ryle, D Brown - US Patent 5,321,561, 1994 - freepatentsonline.com
... each 10 bit word received from **shift** register 120. ... redundancy), and some redundant
error **correction** data, such ... space 306 acts as a **boundary** between neighboring ...
Cited by 1 - Related Articles - Cached - Web Search

Forward error **correction** coding for hybrid AM in-band on-channel digital **audio** broadcasting systems - all 2 versions »
BW Kroeger - US Patent 7,340,010, 2008 - freepatentsonline.com
... Forward error **correction** encoding and puncturing is ... conventional assuming Binary
Phase **Shift** Keying (BPSK ... processed on interleaver Block **boundaries** (as opposed ...
Related Articles - Cached - Web Search

A Tool for the Synchronization of Speech and Mouth Shapes: LIPS - all 3 versions »
O Mella, D Fohr, L Martin, A Carlen - Sixth International Conference on Spoken Language Processing, 2000 - ISCA
... than those on the French cartoon, half of the **boundaries** have to be moved during
the manual **correction** phase. The mean **shift** is 2.5 frames ,that is, 4 times ...
Web Search

[PDF] Automatic **Audio** Segmentation: Segment **Boundary** and Structure Detection in Popular Music
DIT Lidy, E Peiszer - ifs.tuwien.ac.at
... **audio** piece that is available. It seems reasonable to select this excerpt according
to the musical structure in such a way that it starts at a segment **boundary** ...
Related Articles - View as HTML - Web Search

Image and **audio** sequence visualization and interaction mechanismsfor structured video browsing and ...
C Toklu, SP Liou - Image Processing, 2000. Proceedings. 2000 International ..., 2000 - ieeexplore.ieee.org
... This representation also facilitates **correction** of automatically computed ... the interface
for selecting the **boundary** between two **audio** events and **shift** it up ...
Related Articles - Web Search

The roles of pitch and higher formants in the perception of vowels
H Fujisaki, T Kawashima - **Audio** and Electroacoustics, IEEE Transactions on, 1968 - ieeexplore.ieee.org
... de-emphasis. TABLE I RATIO OF RELATIVE **SHIFT** IN PERCEPTUAL **BOUNDARY** Fth TO ... HIGHER
POLE **CORRECTION** KF, RELATIVE TO NEUTRAL VOWEL OF F3=2.5 KHZ, Fig. ...

Cited by 23 - Related Articles - Web Search

Lung sound cancellation method and apparatus - all 4 versions »
MW Kroll - US Patent 4,672,977, 1987 - Google Patents
... invention which shows the electronic hase **shift** ... ca i cu i ation and **correction** steps; ...
when acoustic waves traveling in one medium encounter the **boundary** of a ...
Cited by 13 - Related Articles - Web Search

High fidelity regenerative amplifier with phase **correction** circuit - all 2 versions »
S Ohkuma - US Patent 5,053,721, 1991 - freepatentsonline.com
... establishing a frequency of 1 KHz as a **boundary**. ... possible, since the exemplified
various phase **correction** circuits are ... in that there is no sound **shift** even if ...
Related Articles - Cached - Web Search

Key authors: **S Shlien** - **C Bregler** - **C Perkins** - **M Covell** - **M Slaney**

Goooooooooogle ▶

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

boundary correction shift audio | Search

Google Home - About Google - About Google Scholar

©2008 Google

Google Scholar BETA

Web   Images   Video   News   Maps   **more »**

interactive boundary correction audio   Search

Scholar   All articles - Recent articles   Results **1 - 10** of about **11,400** for **interactive boundary correction audio**. (1.12 seconds)

Image sequence analysis for emerging **interactive** multimediaservices-the European COST 211 framework - all 11 versions »
AA Alatan, L Onural, M Wollborn, R Mech, E Tuncel, ... - Circuits and Systems for Video Technology, IEEE Transactions ..., 1998 - ieeexplore.ieee.org
... and **audio** signals to assist emerging **interactive** multimedia applications. ... and all
pixels within a **correction** range of pixel with respect to the **boundary** of the ...
Cited by 117 - Related Articles - Web Search - BL Direct

A survey of packet loss recovery techniques for streaming **audio** - all 35 versions »
C Perkins, O Hodson, V Hardman - Network, IEEE, 1998 - ieeexplore.ieee.org
... This problem is more acute for **interactive** applications: if ... **audio** data, as stored
internally in an **audio** tool ... Forward Error **Correction** A number of forward error ...
Cited by 329 - Related Articles - Web Search - BL Direct

Videoabstract: a hybrid approach to generate semanticallymeaningful video summaries
C Toklu, SP Liou, M Das - Multimedia and Expo, 2000. ICME 2000. 2000 IEEE ..., 2000 - ieeexplore.ieee.org
... The **interactive** video organization environment provides three ... the spectrogram to
facilitate **audio** event **correction**. ... Before the story **boundaries** are computed ...
Cited by 18 - Related Articles - Web Search

An **interactive** Real-time System for the control of sound localization
M Bossi - Computer Music Journal, 1990 - JSTOR
... An **Interactive** Real-time System for the Control of ... and the characteris- tics of the
room **boundaries**. ... sound source determines the Doppler **correction** factor g to ...
Cited by 5 - Related Articles - Web Search

Interactive, TTS Supported Speech Message Composer for Large, Limited Vocabulary, but Open ...
G Olaszy, G Németh, P Olaszi, G Gordos - Sixth European Conference on Speech Communication and ..., 1999 - ISCA
INTERACTIVE, TTS SUPPORTED SPEECH MESSAGE COMPOSER FOR LARGE ... to mark sound and pitch
boundaries in the ... **Corrections** (if necessary) can be done in amplitude and ...
Web Search

Intelligent Rotoscoping: A Semi-Automated **Interactive Boundary** Tracking Approach to Video ... - all 2 versions »
SR Holladay - 2007 - contentdm.lib.byu.edu
... real-time feedback and **correction** loop that ... Rotoscoping: A Semi-Automated **Interactive**
Boundary Tracking Approach ... codes, data, artwork, video, **audio**, images or ...
Cached - Web Search

Survey of methods for modeling sound propagation in **interactive** virtual - all 2 versions »
T Funkhouser, N Tsingos, J Jot - 2003 - citeseer.ist.psu.edu
... Environment Systems (2003) (Make **Corrections**) (2 citations ... Chien, Carroll - 1980
3 **Interactive** acoustic modeling ... 1999 3 Time iterative **boundary** element method ...
Cached - Web Search

[PDF] Radio Oranje: Enhanced Access to a Historical Spoken Word Collection - all 2 versions »
L van der Werff, W Heeren, R Ordelman, F de Jong - Proceedings of CLIN17, 2007 - eprints.eemcs.utwente.nl
... T. and Gotz, G.(2004), An elastic **audio** slider for **interactive** speech skimming ... an
hmm- based approach and spectral **boundary correction**, Proceedings of ...
Cited by 2 - Related Articles - View as HTML - Web Search

[PDF] Intonational boundaries, speech repairs, and discourse markers: Modeling spoken dialog - all 21 versions »
PA Heeman, JF Allen - Proc. ACL/EACL, 1997 - acl.ldc.upenn.edu
... 1 Introduction **Interactive** spoken dialog provides many new chal **...** this model with speech
repair detection and **correction** and intonational **boundary** tone detec **...**
Cited by 45 - Related Articles - View as HTML - Web Search - BL Direct

[PDF] ... Notes "Sounds Good to Me!" Computational Sound for Graphics, Virtual Reality, and **Interactive** ... - all 2 versions »
T Funkhouser, JM Jot, C Technology, LN Tsingos - cs.princeton.edu
... as specular or glossy reflectors for sound. **...** Accordingly, finite and **boundary** element
methods are not generally used for **interactive** virtual environment **...**
Related Articles - View as HTML - Web Search

Key authors: **C Perkins** - **O Hodson** - **V Hardman** - **E Wold** - **T Blum**

Goooooooooogle ▶

Result Page: 1 2 3 4 5 6 7 8 9 10   **Next**

interactive boundary correction audi   Search

Google Home - About Google - About Google Scholar

©2008 Google